



**GEDORE**

Eine starke Marke der GEDORE-Gruppe

Pneumatique Outils  
**Pneumatik**  
Pneumatic Tools  
Werkzeuge



[www.gedore.de](http://www.gedore.de)



**GEDORE**  
Eine starke Marke der GEDORE-Gruppe

**DIVERSE LUFTWERKZEUGE**  
**OUTILS PNEUMATIQUES DIVERS**  
**PNEUMATIC TOOLS**



No. 5131



No. 5022



No. 5135  
Ø > 4,8



No. 5025  
Ø 3 mm / 19 Stk.



No. 5016

Technische daten  
données techniques  
specifications



Code	No.	mm	1/min	max.bar	min <sup>-1</sup>	U/min	mm	mm	mm	kg
1479474	5016	10	10000	6,2	230	280			75	1000
1479482	5017	10	10000	6,2	230					
1479520	5022	3500	10000	6,2	260	185	150			1000
1479539	5023	3500	10000	6,2						
1736140	5025	81	2500	6,2		370	160			3400
1479636	5131			6,2		170		15		130
1479679	5135			6,2	110	155	300			1400



No. 5023



No. 5017

Ihr Fachhändler · Votre distributeur · Your local dealer

**OMNITOOL**

Fluestr. 25 · 8957 Spreitenbach · (Switzerland)  
Telefon. + 41 56 / 4184050 · Telefax + 41 56 / 4184055  
gedore@omnitool.ch



**GEDORE**  
Eine starke Marke der GEDORE-Gruppe

**SCHLAGSCHRAUBER**  
**CLES A CHOCS**  
**IMPACT WRENCHES**



3/8"

No. 5008



1/2"

No. 5007

TWIN HAMMER



1/2"

No. 5006 A

TWIN HAMMER



3/8"

No. 5108



3/4"

No. 5003

TWIN HAMMER



3/4"

No. 5107

SILENT POWER



3/4"

No. 5103

SILENT POWER

Technische daten  
données techniques  
specifications

Code	No.	■	max.N.m	max.bar	min <sup>1</sup>	U/min	dB/A	mm	mm	kg
1479199	5008	3/8"	103	6,2	10000	205		140	175	1240
1595601	5108	3/8"	103	6,2	10000	205		150	60	900
1736124	5006 A	1/2"	560	6,2	7500	320		200	195	2600
1479180	5007	1/2"	610	6,2	7000	320		190	225	2600
1595520	5107	1/2"	610	6,3	7000	320	83,3	190	210	2600
1479156	5003	3/4"	1345	6,3	4200	340		250	245	6300
1595539	5103	3/4"	1195	6,3	4200	360	89,9	250	240	5600

CLES A CHOCS

SCHLAGSCHRAUBER




# IMPACT WRENCHES

3/4"

No. 5003 A

TWIN HAMMER



1"

No. 5001

Technische daten  
données techniques  
specifications

Code	No.	■								
1736132	5003 A	3/4"	1100	7/8"	6,3	6000	380	230	220	4300
1760122	5000 A	1"	2445	3/4"	8,0	4200	580	530	180	10600
1479148	5001	1"	1969	3/4"	8,0	3500	580	430	300	11200

1"

No. 5000 A

TWIN HAMMER



Code	No.	Inhalt Contenu Contents
1479709	5200	1 Schlagschrauber 5003 je 1 Steckschlüsseinsatz 24, 27, 30, 32 mm 1 clé à choc 5003 1 douille 24, 27, 30, 32 mm 1 Impact wrench 5003 1 Socket each 24, 27, 30, 32 mm



3/4"

No. 5200

1/2"

No. 5500



Code	No.	Inhalt Contenu Contents
1479725	5500	1 Schlagschrauber 5006 A je 1 Steckschlüsseinsatz 17, 19, 21, 22, 24 mm 1 clé à choc 5006 A 1 douille 17, 19, 21, 22, 24 mm 1 Impact wrench 5006 A 1 Socket each 17, 19, 21, 22, 24 mm



# SILENT POWER

1/4"

No. 5009



3/8"

No. 5009



# SILENT POWER

# VISSEUSES

Technische daten  
données techniques  
specifications



Code	No.	□	max. N-m	max. bar	min <sup>-1</sup>	U/min	dB/A	mm	mm	mm	mm
1479202	5009	1/4"	28	6,3	280	130	82	190	60	500	
1479210	5010	3/8"	67	6,2	160	220		270	60	1200	
1595555	5110	3/8"	90	6,3	180	260	82	300	42	1300	
1479229	5011	3/8"	67	6,2	160	220		270	60	1200	

# SCHRAUBER



3/8"

1/2"

No. 5010 / 5011

Technische daten  
données techniques  
specifications



Code	No.	□	max. N-m	max. bar	min <sup>-1</sup>	U/min	mm	mm	mm	mm
1479687	5136	1/4"	6,2	1800	280	260	60			1300
1479695	5137	1/4"	6,2	1800	280	200		145		1300

No. 5136



No. 5137



# SCREWDRIVERS





No. 5019 L/R

# SILENT POWER



No. 5018



No. 5018 L/R

Technische daten  
données techniques  
specifications



Code	No.	mm	VA	max. bar	min <sup>-1</sup>	U/min	dB/A	mm	mm	mm
1479490	5018	10 mm	VA	6,2	2200	300		190	145	1400
1736108	5018 L/R	10 mm	VA	6,2	1800	280	82	200	160	1100
1479504	5019	13 mm	VA	6,2	500	300		225	145	1800
1736116	5019 L/R	13 mm	VA	6,2	400	280	82	220	165	1600
1479512	5021	10 mm	VA	6,2	1900	220		210	90	1000

L/R = Links- und Rechtslauf  
réversible réversible

Schnellspannfutter  
mandrin automatic  
auto-chuck




No. 5019



No. 5021



No. 5012



# SCHLEIFER



No. 5014



No. 5132

Lieferung ohne Trennscheibe  
Livraison sans disque  
Delivery without disc

## DISQUEUSES, MEULEUSES

Technische daten  
données techniques  
specifications



Code	No.				max.bar	min <sup>1</sup>	U/min	mm	mm	mm	
1479237	5012			1/4	6,2	16000	360	280	55		800
1479253	5014		75+125	1/4	6,2	14000	420	155	125		1200
1479547	5024	6		1/4	6,2	22000	350	175		55	600
1595563	5124	6		1/4	6,3	22000	250	205		75	700
1479563	5126	6		1/4	6,2	18000	390	195		42	600
1479571	5127	6		1/4	6,2	25000	200	175	100		700
1479598	5128		55	1/4	6,2	2500	350	175		55	900
1479601	5129		55								
1479644	5132		127	1/4	6,2	12000	220	260	90		2000



No. 5126



SILENT POWER  
No. 5124



No. 5024



No. 5129



No. 5128



No. 5133 / 5134



# SANDERS

No. 5013



No. 5232



Technische daten  
données techniques  
specifications



Code	No.										
1479245	5013	5	150	☒	6,2	10000	180	180	100		700
1479261	5015		50	☒	6,2	25000	150				
1479555	5100	6+3		☒	6,2	22000	350	175		55	
1479652	5133		178	☒	6,2	2500	400	450	105		2900
1479660	5134		178	☒	6,2	4500	400	450	105		2900
1595598	5232		178	☒	6,3	7000	580	325	125		3350

DISQUEUSES, MEULEUSES



No. 5100

mit Spannfutter  
avec pince  
with collet chuck  
3 + 6 mm

No. 5015

5015 incl. 16  
Schleifscheiben  
disques  
discs



# SCHLEIFER